

Elite

E-lite Shower Toilet (Auto Open, Plug O)

Shower Toilet

STYLE SEGMENT

- Transitional

KEY SPECIFICATIONS

- Product Dimensions: 684x 384 x487 mm
- Flushing Platform: Siphon
- Flush Volume: Single flush 4.8L
- Trapway: S Trap
- Rough-in (mm): 305
- Voltage: 220V, 50Hz
- Rated Power (W): 1200
- Maximum Water Pressure, Static (MPa): 0.8 MPa
- Minimum Water Pressure, Dynamic (MPa): 0.08MPa
- Hot Water Temperature Range (°C): 34 - 39
- Dryer Temperature (°C): 35~55
- Bowl Shape: Full Skirt
- Product Weight (kg): 45



KEY TECHNOLOGIES AND FEATURES

HYGIENE

- Antibacterial Protection
- Nozzle Shutter
- Feminine Air Bubble Soft Cleansing
- Posterior Cleansing

COMFORT

- Deodorizer
- Dryer
- Heated Seat
- Instant Heating System
- LED Night Light

CONVENIENCE

- Auto Flush
- Auto Seat & Cover
- Quick-Detach Seat & Cover
- Remote Control
- Slow-Closing Seat & Cover

DURABILITY

- Complies with American Standard Quality Standards

SUSTAINABILITY

- Complies with American Standard Quality Standards

SAFETY

- Complies with American Standard Quality Standards

OTHERS

- NIL

STANDARDS AND CERTIFICATIONS

- GB 38448-2019
- GB4706.53-2008

Elite

E-lite Shower Toilet (Auto Open, Plug O)

Shower Toilet

Product	Description	E-lite Shower Toilet (Auto Open, Plug O)
	Dimensions (mm)	684x 384 x487 mm
	Weight (kg)	45
Flush	Platform	Siphon
	Volume	Single flush 4.8L
	System	Siphon Jet
	Type	Single flush
	Flush Valve Included	Yes
Trapway	Type	S Trap
	Rough-in (mm)	305
	Design	S Trap
Power Requirement	Voltage	220V, 50Hz
	Rated Power (W)	1200
Maximum Water Pressure	Static (MPa)	0.8 MPa
Minimum Water Pressure	Dynamic (MPa)	0.08MPa
Hot Water	Temperature Range (°C)	34 - 39
	Heater Power	1200
Dryer Temperature	Temperature Range (°C)	35~55
Operating Temperature Range	Temperature Range (°C)	5-40
Bowl	Shape	Full Skirt
	Height Without Seat (mm)	400

CEAS70DY-1000400T0

American Standard

Elite E-lite Shower Toilet (Auto Open, Plug O)

Shower Toilet

Material & Color	Material	PP
	Color	Graystone Wood
Components	Floor Mounting Kit Included	No
Installation	Type	Floor Standing
Water Volume Range	Bidet Water	0.5-0.9L/min L/Min
	Posterior	0.5-0.9L/min L/Min

