

CCAS6519-3130410F0

LYNBROOK

Lynbrook Int. Sensor WH Urinal w Manual

STYLE SEGMENT

- Transitional

KEY SPECIFICATIONS

- Product Description: Lynbrook Int. Sensor WH Urinal w Manual
- Product Dimensions: P 425X W 372xH 780
- Installation Type: Wall Hung
- Flush Valve Integrated: Yes
- Flushing Mechanism: Spreader
- Flush Volume: 0.5 litre per flush
- Inlet Hole Location: Back
- Inlet Spud Diameter (mm): 30
- Outlet Connection Diameter (mm): 50
- Operating Pressure - Dynamic (MPa): 0.05
- Operating Pressure - Static (MPa): 0.75
- Material: Vitreous China
- Colour: White Heat II
- Power Source: AC / DC

SHIPPING WEIGHT

- Net Weight: 35.2
- Gross Weight: 38

KEY TECHNOLOGIES AND FEATURES

HYGIENE

- Aqua Ceramic
- Spreader Flushing

COMFORT

- Right Height

CONVENIENCE

- Hands Free Operation

DURABILITY

- Complies with American Standard Quality Standards

SUSTAINABILITY

- Water-Saving

SAFETY

- Complies with American Standard Quality Standards

OTHERS

- NIL

STANDARDS AND CERTIFICATIONS


- GB/T 6952-2015

American Standard

CCAS6519-3130410F0

LYNBROOK

Lynbrook Int. Sensor WH Urinal w Manual



CCAS6519-3130410F0

LYNBROOK

Lynbrook Int. Sensor WH Urinal w Manual

Product	Description	Lynbrook Int. Sensor WH Urinal w Manual
	Dimensions (mm)	P 425X W 372xH 780
	Weight (kg)	35.2
Installations	Type	Wall Hung
Flush	Flush Valve Integrated	Yes
	Flush Valve Included	Yes
	Mechanism	Spreader
	Volume	0.5 litre per flush
Inlet	Hole Location	Back
	Spud Diameter (mm)	30
Outlet	Connection Diameter (mm)	50
	Connection Type	P trap
Operating Pressure	Dynamic (MPa)	0.05
	Static (MPa)	0.75
Material & Color	Material	Vitreous China
	Color	White Heat II
Power	Source	AC / DC
	Usage	AC 100V-240V 50/60 Hz DC 6V
Trapway	Type	P Trap

CCAS6519-3130410F0

LYNBROOK

Lynbrook Int. Sensor WH Urinal w Manual

Trapway	Type	P Trap
Sensor	Detect Distance	Factory setting 7035cm (20cm-75cm adjustable) cm
	Detect Time	3 s
IP Rating (Ingress Protection)	Rating	IPX7
Batteries	Type	Alkaline
	Number of Batteries	4
	Lifetime (cycles)	2.5-year 100cycles/day
	Included	Yes
Shipping	Net Weight (kg)	35.2
	Gross Weight (kg)	38
	Dimensions (mm)	460x440x840