Sensor Faucet

American Standard

FFAS8815-0T0500BT0

Selectronic

Sectronic Casted Spout Sensor Faucet

STYLE SEGMENT

- Contemporary

KEY SPECIFICATIONS

- Product Description: Sectronic Casted SpoutSensorFaucet
- Faucet Type: Mono
- Finish: Chrome
- Flow Rate: 3.24
- Connection Size (mm): 21mm
- Material: Brass
- No. of Faucet Holes Required: 1
- Spout Type: Standard
- Spout Dimensions: 141mm, 131mm
- Hose Thread in Spout: No
- Sensor Detect Distance: 12cm cm
- Power Source: AC
- IP Rating (Ingress Protection): IPX4



SHIPPING WEIGHT

- Net Weight: 2.25
- Gross Weight: 2.43

KEY TECHNOLOGIES AND FEATURES

HYGIENE

- Complies with American Standard Quality Standards

COMFORT

- Complies with American Standard Quality Standards

CONVENIENCE

- Complies with American Standard Quality Standards

DURABILITY

- Complies with American Standard Quality Standards

SUSTAINABILITY

- Complies with American Standard Quality Standards

SAFETY

- Complies with American Standard Quality Standards

OTHERS

- NIL

STANDARDS AND CERTIFICATIONS

- QBT 1334-2013


Sensor Faucet

American Standard

FFAS8815-0T0500BT0

Selectronic

Sectronic Casted Spout Sensor Faucet



Sensor Faucet

American Standard

FFAS8815-0T0500BT0

Selectronic

Sectronic Casted Spout Sensor Faucet

Product	Description	Sectronic Casted SpoutSensorFaucet
	Weight (kg)	2.25
	Finish	Chrome
	Flow Rate	3.24
	Material	Brass
	Mounting Location	Deck Mount
Faucet	Type	Mono
	No. of Holes Required	1
Connection	Size (mm)	21mm
	Size (inches)	G1/2”
Operation Trigger	Type	Sensor
Spout	Type	Standard
	Dimensions (mm)	141mm, 131mm
	Hose Thread in Spout	No
Sensor	Detect Distance	12cm cm
	Detect Time	0.3s s
Power	Source	AC
	Usage	220V
IP Rating (Ingress Protection)	Rating	IPX4

Sensor Faucet

American Standard

FFAS8815-0T0500BT0

Selectronic

Sectronic Casted Spout Sensor Faucet

Batteries	Type	N/A
	Number of Batteries	0
	Lifetime (cycles)	2.5years
	Included	No
Components	Drain Included	No
	Included	AC adatper
	Excluded	Battery
Shipping	Net Weight (kg)	2.25
	Gross Weight (kg)	2.43
	Dimensions (mm)	305*210*115mm